



## ALPINE ANTIFOAM PLUS

### *Antifoaming Agent*

<b>Appearance</b>	: White liquid
<b>Characteristics</b>	: Silicone-based defoamer
<b>Concentration (%)</b>	: 42,0 ± 1,0
<b>pH Value</b>	: 6,0 - 8,0
<b>Ionic Structure</b>	: Nonionic
<b>Preparation Method</b>	: It can be diluted between 1/8 - 1/10.

### **PROPERTIES AND APPLICATION:**

- It is extremely effective in the formulations of the foam forming surfactant used.
- In applications where the pH is critical, in a wide pH range (4-11) is used.
- During operation of the foam generated cuts as long term.
- It can be applied at all stages of leather processing.
- Alpine ANTIFOAM PLUS is not suitable for processes that contain alcohol and derivatives.

Recommended usage rates:

Depending on the stage and conditions of use, the amount of usage can change between 0,1 – 0,5 %. The amount used should be given to cabinet by diluting rate of 1/8 – 1/10.

### **STORAGE :**

In a cool and dry place in original packaging, can be stored for a period of one year. Product must be protected from excessive heat and cold.

### **PACKAGING :**

60 kg drums circle.

Technical information and recommendations contained herein, is reliable, but conditions and methods of use of our products are beyond our control not imply any warranty. We recommend to use to our customer after identified our products and the suitability of proposals of use. Tips on the use of our products be interpreted in terms of encouraging infringement of patent rights of others.

**FARBEN DERİ TEKSTİL KONFEKSİYON ve KİMYEVİ MAD. TİC. Ve SAN. A.Ş.**

Organize Deri Sanayi Bölgesi 19. Yol 12/6 Parsel Aydınlı Köyü – Tuzla – İSTANBUL / TURKEY

Tel: +90 216 394 11 25 Fax: +90 216 394 11 24

E-mail: [info@farben.com.tr](mailto:info@farben.com.tr), [info@herkingroup.com](mailto:info@herkingroup.com)